

PGWVZV

Chipboard screw with double countersunk head, pozidriv

with full thread, hardened and waxed

Spaanderplaatschroef dubbel verzonken kop, pozidriv



met volledige draad, gehard en gewaxt

Vis à panneaux double tête fraisée, empreinte pozi

avec filet complet, trempée et lubrifiée

Spanplattenschraube Doppelflachkopf, Pozidriv Antrieb

mit Vollgewinde, gehärtet und gleitbeschichtet



d [mm]	l [mm]	Art. Nr.	EAN code	PZ	dk [mm]		
STANDARD PACKING - STANDAARDVERPAKKING - EMBALLAGE STANDARD - NORMALPACKUNG							
2,5	12	PGWVZV001002500123	5410439001014	PZ 1	5	200	28800
	16	PGWVZV001002500163	5410439001021	PZ 1	5	200	28800
	20	PGWVZV001002500203	5410439001038	PZ 1	5	200	28800
3,0	10	PGWVZV001003000103	5410439208307	PZ 1	6	200	28800
	12	PGWVZV001003000123	5410439001045	PZ 1	6	200	28800
	16	PGWVZV001003000163	5410439001052	PZ 1	6	200	28800
	20	PGWVZV001003000203	5410439001069	PZ 1	6	200	16000
	25	PGWVZV001003000253	5410439001076	PZ 1	6	200	16000
	30	PGWVZV001003000303	5410439001083	PZ 1	6	200	16000
	35	PGWVZV001003000353	5410439001090	PZ 1	6	200	12000
	40	PGWVZV001003000403	5410439001106	PZ 1	6	200	9600
	45	PGWVZV001003000453	5410439117418	PZ 1	6	200	7200
INDUSTRIAL PACKING - GROOTVERPAKKING - EMBALLAGE GRAND - INDUSTRIEPACKUNG							
3,0	10	PGWVZV001003000102	5410439105248	PZ 1	6	1000	48000
	12	PGWVZV001003000122	5410439105965	PZ 1	6	1000	48000
	16	PGWVZV001003000162	5410439105972	PZ 1	6	1000	48000
	20	PGWVZV001003000202	5410439105989	PZ 1	6	1000	36000
	25	PGWVZV001003000252	5410439105996	PZ 1	6	1000	24000
	30	PGWVZV001003000302	5410439106009	PZ 1	6	1000	16000
	35	PGWVZV001003000352	5410439106016	PZ 1	6	1000	16000
	40	PGWVZV001003000402	5410439106023	PZ 1	6	1000	12000

PGWVZV

Chipboard screw with double countersunk head, pozidriv

with full thread, hardened and waxed

Spaanderplaatschroef dubbel verzonken kop, pozidriv



met volledige draad, gehard en gewaxt

Vis à panneaux double tête fraisée, empreinte pozi

avec filet complet, trempée et lubrifiée

Spanplattenschraube Doppelflachkopf, Pozidriv Antrieb

mit Vollgewinde, gehärtet und gleitbeschichtet



d [mm]	l [mm]	Art. Nr.	EAN code	PZ	dk [mm]		
STANDARD PACKING - STANDAARDVERPAKKING - EMBALLAGE STANDARD - NORMALPACKUNG							
3,5	12	PGWVZV001003500123	5410439001113	PZ 2	7	200	28800
	16	PGWVZV001003500163	5410439001120	PZ 2	7	200	16000
	20	PGWVZV001003500203	5410439001137	PZ 2	7	200	16000
	25	PGWVZV001003500253	5410439001144	PZ 2	7	200	16000
	30	PGWVZV001003500303	5410439001151	PZ 2	7	200	12000
	35	PGWVZV001003500353	5410439001168	PZ 2	7	200	12000
	40	PGWVZV001003500403	5410439001175	PZ 2	7	200	7200
	45	PGWVZV001003500453	5410439001182	PZ 2	7	200	7200
	50	PGWVZV001003500503	5410439001199	PZ 2	7	200	7200
INDUSTRIAL PACKING - GROOTVERPAKKING - EMBALLAGE GRAND - INDUSTRIEPACKUNG							
3,5	12	PGWVZV001003500122	5410439106030	PZ 2	7	1000	48000
	16	PGWVZV001003500162	5410439106047	PZ 2	7	1000	36000
	20	PGWVZV001003500202	5410439106054	PZ 2	7	1000	36000
	25	PGWVZV001003500252	5410439106061	PZ 2	7	1000	16000
	30	PGWVZV001003500302	5410439106078	PZ 2	7	1000	16000
	35	PGWVZV001003500352	5410439106085	PZ 2	7	1000	12000
	40	PGWVZV001003500402	5410439106092	PZ 2	7	1000	8000
	45	PGWVZV001003500452	5410439106108	PZ 2	7	1000	8000
	50	PGWVZV001003500502	5410439106115	PZ 2	7	500	6000

PGWVZV

Chipboard screw with double countersunk head, pozidriv

with full thread, hardened and waxed

Spaanderplaatschroef dubbel verzonken kop, pozidriv



met volledige draad, gehard en gewaxt

Vis à panneaux double tête fraisée, empreinte pozi

avec filet complet, trempée et lubrifiée

Spanplattenschraube Doppelflachkopf, Pozidriv Antrieb

mit Vollgewinde, gehärtet und gleitbeschichtet



d [mm]	l [mm]	Art. Nr.	EAN code	PZ	dk [mm]		
STANDARD PACKING - STANDAARDVERPAKKING - EMBALLAGE STANDARD - NORMALPACKUNG							
4,0	12	PGWVZV001004000123	5410439001205	PZ 2	8	200	28800
	16	PGWVZV001004000163	5410439001212	PZ 2	8	200	16000
	20	PGWVZV001004000203	5410439001229	PZ 2	8	200	16000
	25	PGWVZV001004000253	5410439001236	PZ 2	8	200	12000
	30	PGWVZV001004000303	5410439001243	PZ 2	8	200	12000
	35	PGWVZV001004000353	5410439001250	PZ 2	8	200	9600
	40	PGWVZV001004000403	5410439001267	PZ 2	8	200	7200
	45	PGWVZV001004000453	5410439001274	PZ 2	8	200	7200
	50	PGWVZV001004000503	5410439001281	PZ 2	8	200	7200
	55	PGWVZV001004000553	5410439001298	PZ 2	8	200	4800
	60	PGWVZV001004000603	5410439001304	PZ 2	8	200	4800
	70	PGWVZV001004000703	5410439001311	PZ 2	8	200	3200
INDUSTRIAL PACKING - GROOTVERPAKKING - EMBALLAGE GRAND - INDUSTRIEPACKUNG							
4,0	12	PGWVZV001004000122	5410439106122	PZ 2	8	1000	36000
	16	PGWVZV001004000162	5410439106139	PZ 2	8	1000	36000
	20	PGWVZV001004000202	5410439106146	PZ 2	8	1000	24000
	25	PGWVZV001004000252	5410439106153	PZ 2	8	1000	16000
	30	PGWVZV001004000302	5410439106160	PZ 2	8	1000	16000
	35	PGWVZV001004000352	5410439106177	PZ 2	8	1000	12000
	40	PGWVZV001004000402	5410439106184	PZ 2	8	1000	8000
	45	PGWVZV001004000452	5410439106191	PZ 2	8	500	8000
	50	PGWVZV001004000502	5410439106207	PZ 2	8	500	6000
	55	PGWVZV001004000552	5410439106214	PZ 2	8	500	4000
	60	PGWVZV001004000602	5410439106221	PZ 2	8	500	4000
	70	PGWVZV001004000702	5410439106238	PZ 2	8	500	4000

PGWVZV

Chipboard screw with double countersunk head, pozidriv

with full thread, hardened and waxed

Spaanderplaatschroef dubbel verzonken kop, pozidriv



met volledige draad, gehard en gewaxt

Vis à panneaux double tête fraisée, empreinte pozi

avec filet complet, trempée et lubrifiée

Spanplattenschraube Doppelflachkopf, Pozidriv Antrieb

mit Vollgewinde, gehärtet und gleitbeschichtet



d [mm]	l [mm]	Art. Nr.	EAN code	PZ	dk [mm]		
STANDARD PACKING - STANDAARDVERPAKKING - EMBALLAGE STANDARD - NORMALPACKUNG							
4,5	16	PGWVZV001004500163	5410439001335	PZ 2	9	200	16000
	20	PGWVZV001004500203	5410439001342	PZ 2	9	200	12000
	25	PGWVZV001004500253	5410439001359	PZ 2	9	200	12000
	30	PGWVZV001004500303	5410439001366	PZ 2	9	200	9600
	35	PGWVZV001004500353	5410439001373	PZ 2	9	200	7200
	40	PGWVZV001004500403	5410439001380	PZ 2	9	200	7200
	45	PGWVZV001004500453	5410439001397	PZ 2	9	200	7200
	50	PGWVZV001004500503	5410439001403	PZ 2	9	200	4800
	55	PGWVZV001004500553	5410439001410	PZ 2	9	200	4800
	60	PGWVZV001004500603	5410439001427	PZ 2	9	200	3200
INDUSTRIAL PACKING - GROOTVERPAKKING - EMBALLAGE GRAND - INDUSTRIEPACKUNG							
4,5	16	PGWVZV001004500162	5410439106245	PZ 2	9	1000	16000
	20	PGWVZV001004500202	5410439106252	PZ 2	9	1000	16000
	25	PGWVZV001004500252	5410439106269	PZ 2	9	1000	16000
	30	PGWVZV001004500302	5410439106276	PZ 2	9	1000	12000
	35	PGWVZV001004500352	5410439106283	PZ 2	9	500	8000
	40	PGWVZV001004500402	5410439106290	PZ 2	9	500	8000
	45	PGWVZV001004500452	5410439106306	PZ 2	9	500	6000
	50	PGWVZV001004500502	5410439106313	PZ 2	9	500	6000
	55	PGWVZV001004500552	5410439106320	PZ 2	9	500	4000
	60	PGWVZV001004500602	5410439106337	PZ 2	9	500	4000
	65	PGWVZV001004500652	5410439239295	PZ 2	9	500	4000
	70	PGWVZV001004500702	5410439106344	PZ 2	9	200	3200

PGWVZV

Chipboard screw with double countersunk head, pozidriv

with full thread, hardened and waxed

Spaanderplaatschroef dubbel verzonken kop, pozidriv



met volledige draad, gehard en gewaxt

Vis à panneaux double tête fraisée, empreinte pozi

avec filet complet, trempée et lubrifiée

Spanplattenschraube Doppelflachkopf, Pozidriv Antrieb

mit Vollgewinde, gehärtet und gleitbeschichtet



d [mm]	l [mm]	Art. Nr.	EAN code	PZ	dk [mm]		
STANDARD PACKING - STANDAARDVERPAKKING - EMBALLAGE STANDARD - NORMALPACKUNG							
5,0	16	PGWVZV001005000163	5410439001458	PZ 2	10	200	12000
	20	PGWVZV001005000203	5410439001465	PZ 2	10	200	9600
	25	PGWVZV001005000253	5410439001472	PZ 2	10	200	9600
	30	PGWVZV001005000303	5410439001489	PZ 2	10	200	7200
	35	PGWVZV001005000353	5410439001496	PZ 2	10	200	7200
	40	PGWVZV001005000403	5410439001502	PZ 2	10	200	7200
	45	PGWVZV001005000453	5410439001519	PZ 2	10	200	4800
	50	PGWVZV001005000503	5410439001526	PZ 2	10	200	4800
	55	PGWVZV001005000553	5410439001533	PZ 2	10	200	4800
INDUSTRIAL PACKING - GROOTVERPAKKING - EMBALLAGE GRAND - INDUSTRIEPACKUNG							
5,0	16	PGWVZV001005000162	5410439106368	PZ 2	10	1000	16000
	20	PGWVZV001005000202	5410439106375	PZ 2	10	1000	16000
	25	PGWVZV001005000252	5410439106382	PZ 2	10	1000	12000
	30	PGWVZV001005000302	5410439106399	PZ 2	10	500	8000
	35	PGWVZV001005000352	5410439106405	PZ 2	10	500	8000
	40	PGWVZV001005000402	5410439106412	PZ 2	10	500	6000
	45	PGWVZV001005000452	5410439106429	PZ 2	10	500	6000
	50	PGWVZV001005000502	5410439106436	PZ 2	10	500	4000
	55	PGWVZV001005000552	5410439106443	PZ 2	10	500	4000
	60	PGWVZV001005000602	5410439106450	PZ 2	10	200	3200
	70	PGWVZV001005000702	5410439106467	PZ 2	10	200	2400
STANDARD PACKING - STANDAARDVERPAKKING - EMBALLAGE STANDARD - NORMALPACKUNG							
6,0	30	PGWVZV001006000303	5410439001618	PZ 3	12	200	7200
	35	PGWVZV001006000353	5410439001625	PZ 3	12	200	4800
	40	PGWVZV001006000403	5410439001632	PZ 3	12	200	4800
	45	PGWVZV001006000453	5410439001649	PZ 3	12	200	3200

PGWVZV

Chipboard screw with double countersunk head, pozidriv

with full thread, hardened and waxed

Spaanderplaatschroef dubbel verzonken kop, pozidriv



met volledige draad, gehard en gewaxt

Vis à panneaux double tête fraisée, empreinte pozi

avec filet complet, trempée et lubrifiée

Spanplattenschraube Doppelflachkopf, Pozidriv Antrieb

mit Vollgewinde, gehärtet und gleitbeschichtet



d [mm]	l [mm]	Art. Nr.	EAN code	PZ	dk [mm]		
INDUSTRIAL PACKING - GROOTVERPAKKING - EMBALLAGE GRAND - INDUSTRIEPACKUNG							
6,0	30	PGWVZV001006000302	5410439106504	PZ 3	12	500	6000
	35	PGWVZV001006000352	5410439106511	PZ 3	12	500	6000
	40	PGWVZV001006000402	5410439106528	PZ 3	12	500	4000
	45	PGWVZV001006000452	5410439106535	PZ 3	12	500	4000
	50	PGWVZV001006000502	5410439106542	PZ 3	12	200	3200
	55	PGWVZV001006000552	5410439106559	PZ 3	12	200	3200
	60	PGWVZV001006000602	5410439106566	PZ 3	12	200	2400
	70	PGWVZV001006000702	5410439106573	PZ 3	12	200	2400

PGWVZV

Chipboard screw with double countersunk head, pozidriv

with full thread, hardened and waxed, collated

Spaanderplaatschroef dubbel verzonken kop, pozidriv



met volledige draad, gehard en gewaxt, op band

Vis à panneaux double tête fraisée, empreinte pozi

avec filet complet, trempée et lubrifiée, sur bande

Spanplattenschraube Doppelflachkopf, Pozidriv Antrieb

mit Vollgewinde, gehärtet und gleitbeschichtet, auf Band



d [mm]	l [mm]	Art. Nr.	EAN code	PZ	dk [mm]		
INDUSTRIAL PACKING - GROOTVERPAKKING - EMBALLAGE GRAND - INDUSTRIEPACKUNG							
4,0	25	PGWVZV001004000257	5410439093774	PZ 2	8	1000	6000
	30	PGWVZV001004000307	5410439093781	PZ 2	8	1000	6000
	35	PGWVZV001004000357	5410439093798	PZ 2	8	1000	6000
	40	PGWVZV001004000407	5410439093804	PZ 2	8	1000	6000
	45	PGWVZV001004000457	5410439093811	PZ 2	8	1000	6000
	50	PGWVZV001004000507	5410439093828	PZ 2	8	1000	6000